ELSEVIER

Journal of Statistical Planning and Inference 73 (1998) 417–419

journal of statistical planning and inference

Author Index Volumes 72 & 73 (1998)*

Barlotti, A., Giuseppe Tallini and his work in combinatorial geometries	(72)	1– 6
Beder, J.H., Conjectures about Hadamard matrices	(72)	7– 14
Bennett, F.E., C.J. Colbourn and R.C. Mullin, Quintessential pairwise balanced designs	(72)	15– 66
Benz, W., Automorphisms of finite Einstein geometries	(72)	67– 77
Bhaumik, D.K. and A.K. Shah, Exact tests in crossover designs	(72)	79– 88
Birkes, D.S., *see* D.M. VanLeeuwen	(73)	373–389
Casse, R. and C.T. Quinn, The Bruck–Bose map and Beukenhout–Metz unitals	(72)	89– 98
Chen, J. and D.K.J. Lin, On the identifiability of a supersaturated design	(72)	99–107
Cheng, C.-S., N-way balanced incomplete block designs	(72)	109–119
Colbourn, C.J., *see* F.E. Bennett	(72)	15– 66
Constantine, G. and L. Xue, Aliasing in 2^{n-k} fractions in the case of a separation of factors	(72)	121–132
Das, A., A.M. Dean and W.I. Notz, Designs with nearly minimal number of observations and flexible blocking	(72)	133–147
Dean, A.M., *see* A. Das	(72)	133–147
Demetrovics, J., G.O.H. Katona and A. Sali, Design type problems motivated by database theory	(72)	149–164
Deza, M. and V. Grishukhin, Once more about 80 Steiner triple systems on 15 points	(72)	165–184
Eccleston, J.A., *see* R.J. Martin	(73)	91–111
El-Moalem, H. and P.K. Sen, Nonparametric recovery of interblock information in clinical trials with a surrogate endpoint	(72)	185–205
Erdős, P., The probability method: Successes and limitations	(72)	207–213
Fedorov, V.V., G. Montepiedra and C.J. Nachtsheim, Optimal design and the model validity range	(72)	215–227
Gaffke, N. and B. Heiligers, Minimum support invariant designs for multiple cubic regression	(72)	229–245
Gerami, A., S.M. Lewis, D. Majumdar and W.I. Notz, Efficient block designs for comparing dual with single treatments	(72)	247–263
Glynn, D.G., A survey of cone representations	(72)	265–277
Grishukhin, V., *see* M. Deza	(72)	165–184
Gupta, S., A class of multi-factor designs for test versus control comparisons	(72)	291–302
Gupta, S.S. and T.C. Liang, Simultaneous lower confidence bounds for probabilities of correct selections	(72)	279–290
Hamada, N. and Y. Watamori, The nonexistence of ternary [79, 6, 51] codes	(72)	323–332
Hamada, N., On the nonexistence of some quaternary linear codes meeting the Griesmer bound	(72)	303–322
Hedayat, A.S. and J. Stufken, Sampling designs to control selection probabilities of contiguous units	(72)	333–345
Heiligers, B., *see* N. Gaffke	(72)	229–245
Hinkelmann, K. and J. Jo, Linear trend-free Box–Behnken design	(72)	347–354
Hirschfeld, J.W.P. and L. Storme, The packing problem in statistics, coding theory and finite projective spaces	(72)	355–380

*The volume number is given in front of page numbers

Elsevier Science B.V.

Holzmann, W.H., H. Kharaghani and M.T. Lavassani, The excess problem and some excess inequivalent matrices of order 32 (72) 381–391
Ikeda, K., *see* M. Kuwada (73) 29– 45
Ionin, Y.J. and M.S. Shrikhande, Resolvable pairwise balanced designs (72) 393–405
Jo, J., *see* K. Hinkelmann (72) 347–354
Jones, G., *see* R.J. Martin (73) 91–111
Kageyama, S. and Y. Miao, Nested designs of superblock size four (73) 1– 5
Katona, G.O.H., *see* J. Demetrovics (72) 149–164
Kharaghani, H., *see* W.H. Holzmann (72) 381–391
Khuri, A.I. and E. Valeroso, Multiresponse surface models with block effects (73) 7– 20
Koukouvinos, C., Some new three and four variable orthogonal designs in order 36 (73) 21– 27
Kuwada, M. and K. Ikeda, Balanced fractional 3^m factorial designs of resolution IV (73) 29– 45
Lamprecht, E.A. and S. Zacks, Two armed bandits with change point in one arm (73) 47– 60
Lavassani, M.T., *see* W.H. Holzmann (72) 381–391
Lewis, S.M., *see* A. Gerami (72) 247–263
Li, J., Orthogonal factorial design of parallel flats type and its application in biomedical research (73) 61– 75
Liang, T.C., *see* S.S. Gupta (72) 279–290
Lin, D.K.J., *see* J. Chen (72) 99–107
Mackenzie-Fleming, K. and K.W. Smith, An infinite family of non-embeddable quasi-residual designs (73) 77– 83
Mahmoodian, E.S., Defining sets and uniqueness in graph colorings: A survey (73) 85– 89
Majumdar, D., *see* A. Gerami (72) 247–263
Maldeghem, H.V., *see* J.A. Thas (73) 353–361
Martin, R.J., J.A. Eccleston and G. Jones, Some results on multi-level factorial designs with dependent observations (73) 91–111
Miao, Y., *see* S. Kageyama (73) 1– 5
Montepiedra, G., *see* V.V. Fedorov (72) 215–227
Monticino, M., Constructing prior distributions with trees of exchangeable processes (73) 113–133
Morgan, J.P., Properties of superimposed BIBDs (73) 135–145
Mukerjee, R., On balanced orthogonal multi-arrays: Existence, construction and application to design of experiments (73) 149–162
Mukhopadhyay, N. and T.K.S. Solanky, Multistage methodologies for fixed-width simultaneous confidence intervals for all pairwise comparisons (73) 163–176
Mullen, G.L., Orthogonal hypercubes and related designs (73) 177–188
Mullin, R.C., *see* F.E. Bennett (72) 15– 66
Nachtsheim, C.J., *see* V.V. Fedorov (72) 215–227
Notz, W.I., *see* A. Das (72) 133–147
Notz, W.I., *see* A. Gerami (72) 247–263
Ogunyemi, T.O. and M.B. Rao, On *s*- and (m, s)-optimality of minimal incomplete block designs (73) 189–195
Payne, S.E., A problem on generalized quadrangles (73) 197–204
Poston, W.L., E.J. Wegman and J.L. Solka, D-optimal design methods for robust estimation of multivariate location and scatter (73) 205–213
Quinn, C.T., *see* R. Casse (72) 89– 98
Rao, M.R., *see* T.O. Ogunyemi (73) 189–195
Sali, A., *see* J. Demetrovics (72) 149–164
Seberry, J., Bose's method of differences applied to construct Bhaskar Rao designs (73) 215–224
See, K. and S.Y. Song, Association schemes of small order (73) 225–271
Seely, J.F., *see* D.M. VanLeeuwen (73) 373–389
Sen, P.K., *see* H. El-Moalem (72) 185–205
Shah, A.K., *see* D.K. Bhaumik (72) 79– 88
Shrikhande, M.S., *see* Y.J. Ionin (72) 393–405
Shrikhande, S.S., R.C. Bose memorial conference (73) 273–276
Smith, K.W., *see* K. Mackenzie-Fleming (73) 77– 83

Solanky, N., *see* N. Mukhopadhyay (73) 163–176
Solka, J.L., *see* W.L. Poston (73) 205–213
Song, S.Y., *see* K. See (73) 225–271
Srivastava, J.N. and Y.C. Wang, Row–column designs: non-additivity makes them hazardous to use (73) 277–315
Storme, L., *see* J.W.P. Hirschfeld (72) 355–380
Strassler, Y., New circulant weighing matrices of prime order in *CW* (31, 16), *CW* (71, 25), *CW* (127, 64) (73) 317–330
Stufken, J., *see* A.S. Hedayat (72) 333–345
Tallini, G., Composed designs (73) 331–351
Thas, J.A. and H.V. Maldeghem, Generalized quadrangles weakly embedded in finite projective space (73) 353–361
Tungsarote, R., Some investigations on the Bose–Srivastava algebra related to the multidimensional partially balanced association scheme (73) 363–372
Valeroso, E., *see* A.I. Khuri (73) 7– 20
VanLeeuwen, D.M., J.F. Seely and D.S. Birkes, Sufficient conditions for orthogonal designs in mixed linear models (73) 373–389
Wang, Y.-C., Probability of correct identification of non-additive cells in rwo–column designs (73) 391–408
Wang, Y.C., *see* J.N. Srivastava (73) 277–315
Watamori, Y., *see* N. Hamada (72) 323–332
Wegman, E.J., *see* W.L. Poston (73) 205–213
Xiang, Q., On reversible abelian Hadamard difference sets (73) 409–416
Xue, L., *see* G. Constantine (72) 121–132
Zacks, S., *see* E.A. Lamprecht (73) 47– 60